

CS33 Homework Assignment 2

Due 11:59pm September 20, 2024

1. Consider the following 2D array in C:

```
int X[A][B];
```

- a. We'd like to work with row 1 of the array, i.e., the data in $X[1][0]$, $X[1][1]$, $X[1][2]$, etc. In particular, we want an *int* * that refers to a 1D array containing this row. Can this be done by setting such a pointer to point to the row's first element, or must we copy the elements of the row into a separate 1D array?
 - b. We'd now like to work with column 1 of the array, i.e., the data in $X[0][1]$, $X[1][1]$, $X[2][1]$, etc. In particular, we want an *int* * that refers to a 1D array containing this column. Can this be done by setting such a pointer to point to the column's first element, or must we copy the elements of the column into a separate 1D array?
2. We want a (3D) array of the 2D arrays of problem 1, i.e., we'd like to organize C $A \times B$ arrays as a single $C \times A \times B$ array.
 - a. How does one declare an array of C of the 2D arrays of problem 1?
 - b. We would like a function *func* that takes an *int* as an argument and returns a pointer to our 2D array (of problem 1). How would one declare such a function?
 - c. We would like a pointer *ptr* that refers to a 2D array, so that we can use it to iterate through the array of such 2D arrays. How would one declare such a pointer? (It's definitely not cheating to test your answer using gcc!)
 3. What's wrong, if anything, with each of the following?
 - a.

```
struct array_struct {
    int array[20];
};

struct array_struct init(void) {
    struct array_struct a_s;
    for (int i=0; i<20; i++)
        a_s.array[i] = i;
    return a_s;
}

int main(void) {
    struct array_struct x = init();
    // ...
}
```

b.

```
int func(int a) {
    static int array[a];
    // ...
}
```

c.

```
int *array;

void init(void) {
    int A[20];
    array = A;
}

int main(void) {
    init();
    array[7] = 6;
    // ...
}
```

d.

```
int main(int argc, char *argv[]) {
    int a=0, b=0;
    int c;

    if (argc != 3) {
        fprintf(stderr, "Wrong number of args\n");
        exit(1);
    }
    a = atoi(argv[1]);
    b = atoi(argv[2]);
    switch(a) {
    case 0:
        c=b;
        break;
    case 1:
        a=b;
        break;
    default:
        c=a;
    }
    return a+b+c;
}
```